# Receiving Report


Da	ate: $9/9/29$		Batch		12764				
Sı	upplier: MAGNA	<u>+</u>	Dart I	P/0: <u> </u>	0386				
Packing Slip: nvoice: Receipt:	Yes / No / Yes / No Cr / Cr /	- Re W	elease Note A /aybill Attache hipment Com C6 Inspection /ork Order	d: Ye olete: Ye		<u>~</u>			
Discrepancies Part	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments			
Number									
Initials of receiver (if shipment OK) Level 12									
Production/Additional Date Received/Co Initial	1/7/24				Locat	ion			

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D



Magna Stainless
5775 Kieran St, Saint-Laurent QC H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

## INVOICE



SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY , ON K6A 1K7

I017090 Pg 1 of 1

SHIP TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY , ON

K6A 1K7

MTR:Y

09/24/09
09/21/09
09/24/09
W018706
10386

_	Currency		Sale	es Person	Ship Via		F.O.B.		erms
CA	NADIAN DOLLAR	S ERYCE			NIR:R-557065-1	PREPA	ID	NET 30 DAYS	
$\geq$	Back Ordered	Ordered	Unit		Description		Shipped	Price Per	Value
		2.00		STAINLESS FI	LATS 2" x 2-1/2" x R/L 12'11" 4 PC/222 LB		4 UN	180.00	720.00 (
	-								

09/25/09 13:26:34

Merchandise: 720.00 Surcharges: No Tax Costs: 36.00 GST 756.00 Total Due:


Title to the goods sent out on this invoice remains with Magna Stainless Div of CSMULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

Q.S.T. # 1213236471 G.S.T. # 881565899 RT0001



Magna Stainless 5775 Kieran St, Saint-Laurent QC H4S 0A3 Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

## INVOICE



SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY K6A 1K7

I017098 Pg 1 of 1

SHIP TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY

, ON

K6A 1K7

MTR:Y

INVOICE DATE:	09/24/09
ORDER DATE:	09/14/09
SHIP DATE:	09/24/09
ORDER NUMBER:	W018319
PURCHASE ORDER:	PO10386

	Currency			Sale	es Person	Ship Via		F.O.B.	T	erms
CF	NADIAN DOLL	ARS	ERYCI	K BL	AIS	NIR:R-557065-1 PREPAID		AID	NET 30 DAYS	
Ln	Back Ordered	Or	dered	Unit		Description		Shipped	Price Per	Value
			1	PC	!	LB X 2 1/2" X 144" 1 PC/5 LB		1 UN	92.00	92.00 C
			2	PC	6061-T6 1/2" :			2 UN	220.00	440.000
			2	PC	6061-T6 2" X			2 UN	310.00	620.000
									ļ	
						and the second s		· · · · · · · · · · · · · · · · · · ·		
			-							

09/25/09 13:26:36

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSMULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

Merchandise: 1,152.00 Surcharges: No Tax Costs: GST 57.60 1,209.60 Total Due:

Q.S.T. # 1213236471 G.S.T. # 881565899 RT0001


# Purchase Order Receipt Listing

September 24, 2009 10:09:29 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO10386 Receipt Dates from 9/24/2009 to 9/24/2009 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Receiver Date

Purchase Order ID	Reference/ Description/ Certification Std	Vendor ID/ Name/ Currency Type	Line Project ID Nbr/ Insp Req	PO U/M Stock U/M	Req Date	Req Qty	Recv Qty (PO U/M)/ Recv Emp/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Cost Per Unit/ Book Amt
receiver date PO 10386	9/24/2009 M6061T6B0.125X2	VC-MAG002	5	f	9/18/2009	12.0000	12.0000	0.0000	0	\$7.66
	500 6061T6 BAR .125 X 2.50 112764	Magna Stainless CAD	No	f			Stores \$91.92	0.0000	0	\$91.92 & C 🔾
	M6061T6B0.500XI		6	f	9/18/2009	24.0000	24.0000	0.0000 0.0000	0	\$18.33 \$439.92 & CZ
	6061-T6 Bar .500 x 10.00 112764		No	f			\$439.92	0.0000	Ü	\$137.72
	M6061T6B2.000X0	•	7	f	9/18/2009	24.0000	24.0000	0.0000		\$25.83 \$619.92 & C.J
	6061-T6 Bar 2.00 x 3.50 112764		No	f			\$619.92	0.0000	0	\$619.92
	M304B0.500X2.50 304 BAR .500 x 2.5		8 No	f f	9/10/2009	60.0000	48.4400 Stores \$726.60	0.0000		\$15.00 \$726.60 <b>¿</b> C <b>X</b>
	112764							otal Received Qu ty to Inspect (PO Total Reject Qu Total Receipt	U/M): antity:	108.4400 0.0000 0.0000 \$1,924.44



### 5775 Kieran St, Saint-Laurent, Quebec H4S 0A3 Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

PACKING LIST

\*\*REPRINT\*\*

ASA#

	I(	)1	7090	)	
Page	<b>:</b> :	1	of	1	

SOLD TO-DART AEROSPACE LTD 1270 ABERDEEN STREET

Contact: CHANTASL

SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

SPECIAL INSTRUCTIONS

HAWKESBURY K6A 1K7

Received by:\_

, ON

HAWKESBURY

Date:

, ON

Signature:

K6A 1K7

Ship Terms: PREPAID

MAGNA TRXX

	Currency	Sales Pe	erson	Customer Phone	Customer Fax	Custo	omer PO
CANADIAN DO	OLLARS	ERYCK BLAIS		(613) 632-5200	(613) 632-105		
Sales Order	Te	rms		Ship Via	Date Ordered	Date Required	Date Shipped
W018706	NET 30 DAYS		NIR:R-55706	55-1	09/21/09	09/24/09	09/24/09

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
4		PC	STAINLESS FLATS SFL 304 HR 1/2" x 2-1/2" x R/L 12'11" 222 LB / 4 PC	L031497	245179	<b>4</b> 4
			l. 4/9	124		
·						,
Bundles: 1				Total	Weight:	222 LB

Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

# \*\*\*OUTSTANDING PO REPRINT\*\*\*

# Purchase Order IDPO10386

Purchase Order Date 9/10/09 PO Print Date 9/24/09

Page Number 1 of 2

Order From:

VC-MAG002

MAGNA STAINLESS 5775 RUE KIERAN ST LAURENT, QC H4S 0A3 CA

Contact Name

Vendor Phone

800 363 6646

Vendor Fax

514 339 1105

Vendor Account Nbr

Reference

Revision ID Vendor Part Number Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30 CAD

Currency

**FOB** 

Line Nbr

Description/ Mfg ID

Req Date/ Taxable Req Qty

Unit Price

Extended Price

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

**CANADA** 

Line Nbr	Reference Revision ID	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
	Vendor Part Number						•
5	M6061T6B0.125X2.500	6061T6 BAR .125 X 2.50	9/18/09 Yes	•	Yours ppd	\$7.6600	\$91.92

Special Inst:

MAT: 6061-T6/T651/T6510/T6511/T62

ALUMINUM BAR

SPEC: OC-A-225/8 OR AMS-QC-A-225/8 (OR AMS 4117/4128/4115/4116) OR QC-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160) OR ASTM B211 OR

ASTM B221

9/18/09

24.00 Yours ppd

\$18.3300

\$439.92

\$91.92

M6061T6B0.500X10.000

6061-T6 Bar .500 x 10.00

Yes

REFERENCE ONLY

**MATERIAL CERTIFICATION** REQ'D UPON DELIVERY

Line Total:

9/24/09

Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury. ON K6A 1K7 Tel: 613 632 9577

# \*\*\*OUTSTANDING PO REPRINT\*\*\*

# Purchase Order IDPO10386

Purchase Order Date 9/10/09 PO Print Date 9/24/09

Page Number 2 of 2

Order From:

VC-MAG002

MAGNA STAINLESS 5775 RUE KIERAN ST LAURENT, QC H4S 0A3 CA

Contact Name

Vendor Phone

800 363 6646

Vendor Fax Vendor Account Nbr 514 339 1105

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Net 30 Terms

CAD

Currency **FOB** 

			rob				
Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID		Req Date Taxabl		Unit Price	Extended Price
	4	Special Inst:	SAME AS ABOV	/E	Line	Total:	\$439.92
7	M6061T6B2.000X03.500	6061-T6 Bar 2.00 x 3.50	9/18/09 Yes	V	24.00 Yours ppd	\$25.8300	\$619.92
		Special Inst:	SAME AS ABOV	/E	Lin	e Total:	\$619.92
8	M304B0.500X2.500	304 BAR .500 x 2.50	9/10/09 Yes		47.90 Yours ppd f 48.44	\$15.0000	\$718.50

Special Inst:

MAT: AISI 304/316 STAINLESS

STEEL BAR (NOTE: AISI 303 NOT

APPLICABLE)

Line Total:

\$718.50

Outstanding PO Total:

\$1,870.26

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

REFERENCE ONLY

No substitution or deviation without consent.

Certification required when applicable

Change Nbr:

Change Date: 9/24/09

Certificate of Conformity or Material

P006739 Part PO: STAINLESS \$90914DG001-1 MAGNA 1.00PC

Sapa Industrial Extrusions 53 POTTSVILLE STREET CRESSONA, PA 17929-0187 Sapa Extrusions Inc., a Subsidiary of Sapa AB

Invoke To Castomer

Ship To Costanter

Certified 1	Inspection	Report
-------------	------------	--------

Line No.

Sales Order Number

1100072649

Cert Number	Fage
 SAPA89183	Page 1 of 2
Cert Creation Date	Cert Print Date
 16-JUL-09	16-TUL-09

Quantity Shipped	Date Shipped	Item Description
2242 LB	16-TUL-09	Extruded Rectangular Bar 0.125 TK x 2.5 W
B/L	Item No.	6061 / T6511 7
59905	G03361057	FIN M-MILL W/F 0.367 F 14 CS 2.5
Delivery Id	Hem No. Rev	Marking CONTINUOUS:
1029113	<b>-</b> -	ASTMB221 REV 08 UNS#A96061 REV
CustomerPart No.		UNS#A96061 REV AMS-QQ-A-200/8 REV
125X2.5		4

Customer P/O

P90608CG021-3

Applicable Specifications, Revisions and Exceptions

Certificate in accordance with EN10204 3.1

COMPOSITION NOTE: The values for 'Others Each' and 'Others Total' have met the limits as shown on

his certified inspection report. Remainder is Aluminum.

#### Legal Statement

We hereby certify that, unless otherwise indicated, the material covered by this report has been manufactured, inspected, and tested in accordance with, and has been found to meet, the applicable requirements described herein, including any specifications forming a part of the description and that samples representative of the material metal decomposition and had the mechanical properties shown on the face of this certification. Also, note that mercury is not a normal contaminant in aluminum alloys and neither it nor any of its compounds are used in the manufacture of our product. This certification is not to be reproduced in partial form without prior written approval of our Quality Assurance Dept.

Signature And Title

Dave A Lukasak Tech/Quality Manager

16-JUL-09

Quantities per Lot / Packages

	<del></del>				
Patitage Number	Lot Number	Quantity	UOM	Weight	3 <sup>th</sup> .
GI2-PKG1084499	(20206240	1,		Green	Net
G12-PKG1084500	,20206240	258	PCS	1129	1121
		258	PCS	1129	1121

#### Composition Limits

- 1			and the second s					
	Alloy	SI	Fe	Cta	Me	Mg	Cr	
-	6061	0.40 Max	Min Max - 0.7	Min Max	Min Max	Min Max	Min Men	Za Max
1.			0.7	0.15 0.40	- 0.15	0.8 1.2	0.04 0.35	- 0.25

Sapa Industrial Extrusions
53 POTTSVILLE STREET

Certified Inspection Report

Line No.

Customer P/O

P90608CG021-3

Sales Order Number

1100072649

Cert Number Page SAPA89183 Page 2 of 2 Cert Creation Date Cert Priot Date 16-JUL-09 16-TUL-09

CRESSONA, PA 17929-0187

Alloy	· 1	n 111		BI		Pb	Other	Each :	Other	* Total	Ì
~4.7	Min	Max	Min	Max	Min	Max	Mia	Max	Min	Mex	
6061	]	0.15	-	-		- 1984	'7:	0.05		0.15	

#### Coroposition Results

Heat/Cast Si Fe Cu.	Ma Me S	:
5021323 0.7 0.24 0.28	0.04 0.09 0.09 TI BI Pb	Others Each Others Total

#### Mechanical Property - Test Limits

3.0	Test Type	UTS-L	To to	/S·L	FL4	-Lose
	COM	KSI		KSI		c <del>r</del>
Test Temper Lot Manher	of Tests			-	<del> </del>	•
	or less	Miri Value M	Vanie MIN Value	ACAX Value	MIN Velta	- MAX YOR
T6511 20206240	3	453	44.8 39.8	41.2	122	12.7

Cert Notes

Products manufactured with a T6511 temper also meet T6 temper requirements.

Yield strength has been determined by the 0.2% offset method

All Alloys Produced at Sape Industrial Extrusions comply with 0.4% Maximum Lead per RoHS, with the exception of 6262 alloy

Made in USA

JUL 17 2009

KATHY BELL, CERTIFICATION PROCESSOR

PO:

BEL TO

SHIP TO

MAKIFEST HUMBER

86672 customer po P90716CG001 CT

CUSTOMER PART NUMBER
MRB0481

™ NUMBER
MRB0481

DATE OF SHIPMENT 8/13/2009 SALESPERSON

ALLOY! TEMPER
6061-T6511
DESCRIPTION

611 / David Schroeder
MQRB 2.000x3.500 /

CERTIFICATION

OUR ORDER NUMBER

ASTM-B221-08 Stencil

909662

AMS-QQA-200/8

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. SCM extrusions are manufactured in the USA from ingot melted and cast in the United States or Canada.

Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6

27

**Mechanical Properties** 

Lot No.Test No.Test DateUltimate Tensile<br/>Strength (KSI)Yield Strength<br/>(KSI)Percent<br/>Elongation200909862108/11/0954.348.019.5

Solonos

BY MAL Dagrice
LET ISSA GAGNIER CERTIFICATION PROCESSOR

Chemical Composition for Alloy 6061

Alloy Si Fe <u>Cu</u> Mg <u>Cr</u> Zn I Other: Each Total Max 8.0 0.7 0.40 0.15 1.2 0.35 0.25 0.15 Remainder 0.05 0.15 Min 0.40 0.15 8.0 0.04

United States of America

Melted In

Rev. 9/06/07 - UMS

Print Date: 8/13/2009

Robert M. Ramage Ph.D. Director of Quality & Technical Services

S90914DG001-3 MAGNA STAINLESS PO:

2.00PC

Cers Number Page SAPA102563 Page Cert Creation Date Cert Print Date

12-AUG-09

12-AUG-09 Quantity Shipped Date Shipped Item Description Extruded ECON-O-PLATE 4930 12-AUG-09 0.500 TK x 10.000 W\_\_ SECT 505025 B/L Item No. 144.000 IN LN 5061-176511" 67087 G03360698 FIN M-MILL Delivery Id

Customer P/O

Item No. Rev

P90810CG002-2

4037119 CostomerPart No.

ASTMB221-REV 08 AMS-QQ-A-200/8 REV -ASMESB221 REV 99 UNS#A96061 REV

W/F 5.880 F 04 CS 10

Marking CONTINUOUS:

Sapa Industrial Extrusions 53 POTTSVILLE STREET

CRESSONA, PA

17929-0187

Sapa Extrusions Inc., a Subsidiary of Sapa AB

Invoice To Customer

Ship To Customer

Applicable Specifications, Revisions and Exceptions

Certificate in accordance with EN 10204 3.1

.5X10

COMPOSITION NOTE: The values for 'Others Each' and 'Others Total' have met the limits as shown on

this certified inspection report. Remainder is Aluminum.

#### Legal Statement

We hereby certify that, unless otherwise indicated, the material covered by this report has been manufactured, inspected, and lested in accordance with, and has been found to meet, the applicable requirements described herein, including any specifications forming a part of the description and that samples representative of the material met the composition and had the recchanical properties shown on the face of this certification. Also, note that mercury is not a normal contaminant in aluminum alloys and neither it nor any of its compounds are used in the manufacture of our product. This certification is not to be reproduced in partial form without prior written approval of our Quality Assurance Dept.

Signature And Title

Dave A Lukasak

Tech/Quality Manager

12-AUG-09

Quantities per Lot / Packages

Package Number	Lot Number	Quantity	<b>UOM</b>	Weight	
G12-PKG1087367	2000			Gross	Ne
G12-PKG1095929	20231651 202459922	14	PCS	996	990
G12-PKG1095929	20245992		*-	-	
G12-PKG1095930	20245992	14	PCS	991	98
G12-PKG1095941	20245992	14	PCS	991	985
G12-PKG1095941	20245992			_	_
G12-PKG1095948	20245992	14	PCS	991	98
G12-PKG1095948	20245992	14	PCS	991	98

STAINLESS MAGNA

\$90914DG001-2

Sapa Industrial Extrusions 53 POTTS VILLE STREET

CRESSONA, PA 17929-0187

Certified	Inspection	Report
-----------	------------	--------

Cert Number Page SAPA 102563 Page 2 of 3 Sales Order Number Customer P/O Cert Creation Date Cert Print Date Line No. 1100096128 P90810CG002-2 12-AUG-09 12-AUG-09

#### Composition Limits

Alloy		3	1	7e ·		Co		A <sub>M</sub>	r					
мичу	<u> </u>				1				Mg		Cr		7a	
	Min	Max	Mia	Max	Mla	Max	Min	Мат	<del> </del>				1	
6061	<del> </del>		<u> </u>		į		"	14779.8	Min	Max	Min	Max	Mio	Max
	0.40	0.8		0.7	0.15	0.40	<del></del>	0.15		<del>                                     </del>				<u> </u>
. ?			·	<u>i</u>		]	1	l .	0.8	1.2	0.04	0.35		0.25
Alloy	· '	•		Ei		Pb		T Each	Othe	rs Total		l		1
	Min	Max	Min	Max	Min	1 10	<u> </u>							
		_	1		i min	Mex	Min	Max	Min	Mex				
6061	***	0.15			<del> </del>	<del></del>	<del> </del>	1	]	<u> </u>				
		5.15		í -	· -	1 -	***	0.05		0.15				

#### Composition Results

Heat / Cast 5021479	0.7	0.30	C# 0.29	Max 0.04	Mg	Cr 0.04	Zn	T) 0.02	Bi	Pb	Others Each	Others Total	]	
Heat / Cast 5021598	SI.	Fe 0.27	0.25	Ma	Mg	Čr 0,05	Za	Ti 0.02	B1	Pb	Others Each	Others Total		

#### Mechanical Property - Test Limits

		Test Type	UT	\$-L	TYS	·Ľ	EL 4D-Long			
<del></del>		MOU	,	KSI	Ŕ	SI	PCT			
<del></del>		# of Test		**						
Test Temper	Lot Number	# of Tests	Mili Value	MAX Value	MIIN Value	MAX Value	MUN Value	MAX Value		
T6511	20231651	2	44,4	45.5	39.9	42.4	18.8	20.1		
·		Test Type	υr	S-L	TYS	·£	ÉL 41	)-Long		
• • •	. <b>4</b> .N.)	UOM	1	<b>USI</b>	K	SI	PCT			
		# of Test								
Test Temper	Lot Number	# of Tests	MIN Value	MAX Value	MIN Value	MAX Value	MIN Yalee	MAX Yalue		
T6511	20245992	2	44.5	46.6	49.5	42.5	18.9	20.2		

Cert Notes

Products manufactured with a T6511 temper also meet T6 temper requirements.

Yield strength has been determined by the 0.2% offset method

	Sapa Industrial Extrusions 53 POTTSVILLE STREET	Certified Inspection Report	Cert Number	Page
pa.	CRESSONA, PA 17929-0187	Sales Order Number   Customer P/O	SAPA 102563 Cert Creation Date 12-AUG-09	Page 3 of 3 Cert Print Date 12-AUG-09
All Allays Produced at Sapa In	dustrial Extrasions comply with 0.4% Maximum Lead pe	r RoHS, with the exception of 6262 alloy		·

AUG 13 2009

BY Man Sagaic MELISSA GAGNIER CERTIFICATION PROCESSOR

# Acciaierie Valbruna <sub>s.p.A.</sub>





### CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Bostoller/Purchasor/Client VALBRUNA CANADA LTD 8724 HOLGATE CRESCENT CDN-MILTON, ONT L5T 5Z1-CAN

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Oggetto Prove: Descaled Annealed Hotrolled

Avviso di Spedizione: D-VI08014292

Ordine nr: 805001970 STOCK

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Molting process/Mode d'olaboration

Certificato nr: MEST632454/2008/

Conferma ordine nr; El08008070

Marchio di Fabbrica: Zeichen des Liefernwerkes Trade mark Sigle de l'usine produtice

AMS 5647 H S30403

ASME SA320 2007 B8 (2)

Punzone del Collaudatore: Stempel des Workssachversländigen Inspector's stamp/Poinçon de l'assayeur



Specifiche:

Antorderungen / Requirements / Exigences

VAL CANADA 2 304/304L A
ASME SA182 2007 S30400/03 a
ASME SA479 2007 S30400/03 3
ASTM A262 2002A PRACTICE E
ASTM A320 2007A B8
NACE MR0175\* 2003 S30400/03 A 5
(0) SEC.II PT.A 2007 EDITION
(1) SEC.II PT.A 2007 EDITION
(3) SEC.II PT.A 2007 EDITION
(5) \* ISO 15156-3

AMS 5639 H S30400 ASME SA193 2007 B8 1 ASTM A182 2007A S30400/03 4 ASTM A<u>276</u> 2006 S30400/03 ASTM <u>A479</u> 2006A S30400/03 QQ-S-763 F 304/304L

0Chemical analysis only. 2SEC.II PT.A 2007 EDITION 4Chemical analysis only.

ASTM A193 2007 B8 ASTM A314 97 S30400/03 MIL-S-862 B/1 304/304L

W 09.09.29

Qualitá: T-304L Werkstoll/Grade/Nuance

Marca: AISL

arkenbezeichnung/Brand/Nuance

Punzonatura: T-304L Kenrizelchinung/Marking/Marquage

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Descrip, du produit	Dimensioni - In Abmossungen Dimension Dimension	Tolleranza Tolleranz. Allowance Talerance	Lunghezza - Ft Lange Length Lengucur	Colata Schmelze Heat Coulée	Pezzi Stückzahi Pieces Pieces	Peso - LB Gewicht Weight Poids	Lotto nr. Losar. Lotar. Lotar.
0040	Flat	∠2,5000 x 0,5000	484-06B	12 / 13	245179		3.104	707600210

Sono state soddisfatte tutte le condizioni richieste 

Die gestlien Anlerderungen sind it. Anlage erfülk
The material has been kunrichted in accordance with the requirements
Le material of att brouve conforme aux exigences

Controllo antimescolanza: OK Verwechslungprüfung: spectralanalytisch durchgeführt Antimizing testing performed: OK Controllo visivo e dimensionale: soddista le esigenze: Besichtigung und Ausmessung: ohne Beanstandung Visual inspection and dimensional checks: salistactory Controle visual et dimensions: salislaisant

TEST	Provetta/Protectab Spectmont@naverte Lang.dam Spezz, Breite Diant, Otche Width Olam, Tickness Lang, diam, epole MM	٥Ė.	Posiz. Saggio Protendare Learners Employment	Snervamento Streckgronza Yield Stress Umite classique Rp 0,2% k.s.i.	Snervamento Streckgrenzo Yleid Stess Umite etastiquo	Resistenza Zugfedighalt Tenste strength Resistance & kaction Rm k.s.i.	Allungamento Buchdahnung Eknpation Attongemen E 4d %		Strizione Einschnörung Reduction of arma Striction RA %		Resillenza Kerbachbagarbek Impact Vakue Rosillence		Durezza Hastis Hustos Durete HB		
Anlender	Valori richiesti 1 Anlonderungen/Required values Valours démandées		in ax	30		75 115	-	40	-	50		-		140 223	
Α	12,5	68	L	47		91		58		67			179		

Grain size for ASTM E112

5

1)L=longitudinale/längs, Q=lrasversale/guer, T=Tangenziale/langentia

#### Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimiqu

	min - max 0,030	- 1.00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	-	0,040	0,030	0,100	:	:	:	:
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %′	Co %	P %	S %	N %				
245179	0,020	0,42	1,67	18,10	0,54	0,48	8,22	0,100	0,031	0,029	0,081				

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 0.5 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E. ok.

Material is DFARS Compliant

Metted and manufactured in Italy

No welding or weld repair

Material free from Mercury or radio-activity contamination
The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1,s.,4.3 by TUEV and LLOYD'S

Vičenza, 21/05/08

M. Rizzotto Full S

Pagina - 1 di 1



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

# **PURCHASE ORDER**

# Purchase Order ID PO10386

Purchase Order Date 9/10/09 PO Print Date 9/10/09

Page Number 1 of 3

Order From:

MAGNA STAINLESS 5775 RUE KIERAN ST LAURENT. QC H4S 0A3 CA

VC-MAG002

Contact Name

Vendor Phone Vendor Fax

800 363 6646

514 339 1105

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms Currency Net 30 CAD

FOB

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line N	br Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable U	Req Qty/ init of Measure	Ship Method	Unit Price	Extended Price
I	M6061T6S.250	6061T6 SHEET .250	9/10/09 Yes	2 32.00 sf	Yours ppd / C9/9/19	\$13.2800	\$424.96
		Special Inst:	MAT: 6061-T6/T6 SPEC: QC-A-250/ 250/11 OR AMS 4 ASTM B209	11 OR AMS-QC-	-A-		`
2	M6061T6R0.625	6061-T6 Round Bar .625"	9/10/09 Yes	<b>V</b> 60.00 f	Yours, ppd   6 4/5/17	\$0.8250	\$49.50
		Special Inst:	MAT: 6061-T6/T6 ALUMINUM ROL SPEC: QQ-A-225/ (OR AMS 4117/41 200/8 OR AMS-QQ 4160) OR ASTM E	JND BAR 8 OR AMS-QQ-A 28/4115/4116) O Q-A-200/8 (OR A	A-225/8 R QQ-A- .MS		
3 1	M6061T6R0.750	6061-T6 Round Bar .750"	9/10/09	60.00	Yours ppd	\$1.2000	\$72.00

Yes

\$1.2000

\$72.00

Special Inst:

SAME AS ABOVE

MATERIAL CERTIFICATION

REQ'D UPON DELIVERY

No substitution or deviation without consent.

Change Nbr:

Change Date: 9/10/09

Certificate of Conformity or Material Certification required when applicable



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

# **PURCHASE ORDER**

# Purchase Order ID PO10386

Purchase Order Date 9/10/09 PO Print Date 9/10/09

Page Number 2 of 3

Order From:

VC-MAG002

MAGNA STAINLESS 5775 RUE KIERAN ST LAURENT, QC H4S 0A3

CA

Contact Name

Vendor Phone

800 363 6646

Vendor Fax

Vendor Account Nbr

514 339 1105

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms Currency

Net 30 CAD

**FOB** 

M6061T6R1.125

6061 ROUND BAR 1.125

9/10/09 Yes

Neru 20 "

12.00 Yours ppd

\$49,92

Special Inst:

SAME AS ABOVE

5 M6061T6B0.125X2.500

6061T6 BAR .125 X 2.50

9/18/09

Yes

\$7.6600

\$91.92

Special Inst:

MAT: 6061-T6/T651/T6510/T6511/T62

ALUMINUM BAR

SPEC: QC-A-225/8 OR AMS-QC-A-225/8 (OR AMS 4117/4128/4115/4116) OR QC-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160) OR ASTM B211 OR ASTM B221

M6061T6B0.500X01.000

6061-T6 Bar  $.500 \times 1.00$ 

9/18/09

24.00 Yours ppd

Yes

f

\$18.3300

\$439.92

M6061T6B2.000X03.500

Special Inst:

6061-T6 Bar  $2.00 \times 3.50$ 

SAME AS ABOVE 9/18/09

Yes

Yours ppd

\$619.92

M304B0.500X2.500

Special Inst:

SAME AS ABOVE

Mico 12-10 /cg 60.00 Yours ppd

304 BAR .500 x 2.50

9/10/09 Yes

\$900.00

MATERIAL CERTIFICATION

Special Inst:

MAT: AISI 304/316 STAINLESS STEEL BAR (NOTE: AISI 303 NOT APPLICABLE)

REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

3

Change Date: 9/10/09



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

# PURCHASE ORDER

# Purchase Order ID PO10386

Purchase Order Date 9/10/09 PO Print Date 9/10/09

Page Number 3 of 3

Order From:

VC-MAG002

MAGNA STAINLESS 5775 RUE KIERAN ST LAURENT. QC H4S 0A3

CA

Contact Name

Vendor Phone

800 363 6646

Vendor Fax

514 339 1105

Vendor Account Nbr

Buver

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms Currency

Net 30 CAD

FOB

M304B0.750X2.500

304 BAR .750 X 2.50

9/10/09 Yes 48.00 Yours ppd

\$27.9200

\$1,340.16

Special Inst:

SAME AS ABOVE

10 M304S11GA

304/316 0.125 Sheet

9/10/09

Yes

128.00

Yours ppd

\$10,4700

36.30 Pes/4/19

\$1,340.16

Special Inst:

MAT: AISI 304/316 SS SHEET

ANNEALED 28 FINISH

SPEC: MIL-S-5059 OR AMS 5513(304) OR AMS 5524 (316) OR ASTM A240 OR

ASME SA240

PO Total:

\$5,328.46

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

3

Change Date: 9/10/09



# Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3 Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

# **PACKING LIST**

\*\*REPRINT\*\*

I017098

Page: 1 of 1

SPECIAL INSTRUCTIONS

SOLD TO DART AEROSPACE LTD 1270 ABERDEEN STREET SHIP TO: DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY

, ON

HAWKESBURY

. ON

K6A 1K7

Contact: CHANTAL

K6A 1K7

Ship Terms: PREPAID

MTR:Y

Curre	ncy	Sales	Person C	ustomer Phone	Cus	omer Fax	Custo	mer PO
CANADIAN DOLL	ARS	ERYCK BLAIS	(6:	13) 632-5200	(613)	632-105	3 PO10386	
Sales Order		Terms	Ship	Via	Dat :	Ordered [	Date Required	Date Shipped
W018319 NE	30 DAYS	0~	NIR:R-557065-			L4/09	09/21/09	09/24/09

Ordered	Back Ordered L	Jnit		Description		3undle #	Heat #	Shipped
. 1	P	oC .	ALUMINUM - 6061-T6 1/8"	LB X 2 1/2" X 144"				1
2	P	C	6061-T6 1/2"	X 10" X 144"	· ·	1031466	20206240	1 2
2	P	C	6061-T6 2" X	3 1/2" X 144"	146 LB / 2 PC	I 031467	20245992	2 <b>2</b>
					202 LB / 2 PC	1031468	200909862	2
				e.		•		
	·						,	
						of the second se		
·								
-							İ	
Bundles: 1	1					Total	Weight:	353 LB
	11 11 11			24/0/0			<u>.                                    </u>	

Received by: E UM Un

Date: <u>24/09/09</u>

Signature:\_